

APPENDIX H

SAMPLES OF HOSPITAL LAYOUT

A sample of a FH layout and a GH layout without a chemical and biological protected shelter system is shown in Figure H-1 and Figure H-2. The patient decontamination area shown is applicable for the hospital with or without collective protection. The patient decontamination area should be at least 30 to 50 yards downwind of the hospital. The actual layout of the hospital is contingent upon the METT-T factors and guidance provided by the hospital commander.

A layout for a FH/GH (HUB) with chemical and biological protected shelter system is shown in Figure H-3.




Figure H-1. Sample of a field hospital layout.

LEGEND:

- | | |
|-------------------------------|-----------------------------------|
| 1. BLOOD BANK | 23. FLUSH LATRINE AND BEDPAN WASH |
| 2. CMS | 24. BAG SEAL LATRINE |
| 3. DENTAL | 25. ADMINISTRATIVE |
| 4. ENT | 26. BEDPAN LAUNDRY |
| 5. EMT/TRIAGE/SURG | 27. CO HQ |
| 6. INTENSIVE CARE UNIT | 28. DINING HALL |
| 7. INTERCHANGE | 29. HOSPITAL HQ CMD |
| 8. INTERMEDIATE CARE WARD | 30. HOSPITAL OP |
| 9. LAB (GEN) | 31. KITCHEN |
| 10. MED MAINT | 32. LOG DIV |
| 11. MED SVC | 33. MAINTENANCE TENT |
| 12. NEUROPSYCHIATRIC | 34. MINIMAL CARE WARD |
| 13. OB/GYN | 35. PAD |
| 14. OPERATING ROOM | 36. PATIENT LATRINE |
| 15. ORTHOPEDIC | 37. RATION STORAGE |
| 16. PHARMACY | 38. SANITATION CENTER |
| 17. PRE-OP SURG | 39. SUPPLY |
| 18. PHYSICAL THERAPY/OT | 40. CHAPLAIN |
| 19. X-RAY | 41. ORTHO CAST |
| 20. PATIENT PROCESSING CENTER | 42. INPATIENT MED A |
| 21. WATER SUPPLY | 43. NURSING SERVICES |
| 22. RESUPPLY AIR LOCK | 44. CONVALESCENT CARE WARD |




Figure H-1. Sample of a field hospital layout (continued).




Figure H-2. Sample of a general hospital layout.

LEGEND:

- | | |
|-------------------------------|-----------------------------------|
| 1. BLOOD BANK | 23. FLUSH LATRINE AND BEDPAN WASH |
| 2. CMS | 24. BAG SEAL LATRINE |
| 3. DENTAL | 25. ADMINISTRATIVE |
| 4. ENT | 26. BEDPAN LAUNDRY |
| 5. EMT/TRIAGE/SURG | 27. CO HQ |
| 6. INTENSIVE CARE UNIT | 28. DINING HALL |
| 7. INTERCHANGE | 29. HOSPITAL HQ CMD |
| 8. INTERMEDIATE CARE WARD | 30. HOSPITAL OP |
| 9. LAB (GEN) | 31. KITCHEN |
| 10. MED MAINT | 32. LOG DIV |
| 11. MED SVC | 33. MAINTENANCE TENT |
| 12. NEUROPSYCHIATRIC | 34. MINIMAL CARE WARD |
| 13. OB/GYN | 35. PAD |
| 14. OPERATING ROOM | 36. PATIENT LATRINE |
| 15. ORTHOPEDIC | 37. RATION STORAGE |
| 16. PHARMACY | 38. SANITATION CENTER |
| 17. PRE-OP SURG | 39. SUPPLY |
| 18. PHYSICAL THERAPY/OT | 40. CHAPLAIN |
| 19. X-RAY | 41. ORTHO CAST |
| 20. PATIENT PROCESSING CENTER | 42. INPATIENT MED A & B |
| 21. WATER SUPPLY | 43. NURSING SERVICES |
| 22. RESUPPLY AIR LOCK | 44. CONVALESCENT CARE WARD |




Figure H-2. Sample of a general hospital layout (continued).




Figure H-3. Sample of a chemical and biological protected field/general hospital (HUB) layout.

LEGEND:

- | | |
|---------------------------|------------------------------------|
| 1. BLOOD BANK | 13. OB/GYN |
| 2. CMS | 14. OPERATING ROOM |
| 3. DENTAL | 15. ORTHOPEDIC |
| 4. ENT | 16. PHARMACY |
| 5. EMT/TRIAGE/SURG | 17. PRE-OP SURG |
| 6. INTENSIVE CARE UNIT | 18. PHYSICAL THERAPY/OT |
| 7. INTERCHANGE | 19. X-RAY |
| 8. INTERMEDIATE CARE WARD | 20. PATIENT PROCESSING CENTER |
| 9. LAB (GEN) | 21. WATER SUPPLY |
| 10. MED MAINT | 22. RESUPPLY AIR LOCK |
| 11. MED SVC | *23. FLUSH LATRINE AND BEDPAN WASH |
| 12. NEUROPSYCHIATRIC | *24. BAG SEAL LATRINE |

* CURRENTLY UNDER DEVELOPMENT AND TESTING. THE TYPE LATRINE SHOWN MAY OR MAY NOT BE FIELDIED.

** PATIENT DECONTAMINATION AREA. (SEE FM 8-10-7, HEALTH SERVICE SUPPORT IN A NUCLEAR, BIOLOGICAL, AND CHEMICAL ENVIRONMENT.)

— — — APPLICABLE TO A FIELD HOSPITAL ONLY.




Figure H-3. Sample of a chemical and biological protected field/general hospital (HUB) layout (continued).