APPENDIX A

PATIENT CONDITIONS

This appendix lists the 57 patient conditions, extracted from the DOD Deployable Medical Systems' clinical data base, that have been identified as suitable to be performed by FSTs.

PATIENT CONDITION NUMBER

005	Cerebral contusion (closed) with intracranial hematoma, with or without nondepressed linear skull fracture—severe, large hematoma (including epidural hematoma) with rapid deterioration of comatose patient.
007	Cerebral contusion (closed) with depressed skull fracture, severe, with associated intracerebral hematoma and/or massive depression.
017	Wound (open), face, jaws, and neck lacerated with associated fractures (excluding spinal fractures). Severe, with airway obstruction.
019	Wound (open), face and neck lacerated, contused without fractures. Severe with airway obstructions and/or major vessel involvement.
045	Wound, upper arm, open, penetrating, lacerated without fracture, severe with nerve and/or vascular injury.
071	Amputation, full arm, traumatic—complete, all cases.
088	Wound (open), thorax (anterior or posterior), penetrating with associated rib fracture and pneumohemothorax, moderate respiratory distress.
098	Wound (closed), liver acute (crush, fracture)—major liver damage.
099	Wound (closed), liver acute (crush, fracture)—minor liver damage.
100	Wound (closed), spleen acute (crush, fracture)—all cases.
101	Wound (open), abdominal cavity with lacerated, penetrating, perforating wound to large bowel.
102	Wound (open), abdominal cavity with lacerated, penetrating, perforating wound to small bowel without major or multiple resuscitation.
103	Wound (open), abdominal cavity with penetrating, perforating wound of liver—major damage.

PATIENT CONDITION NUMBER

104	Wound (open), abdominal cavity with penetrating perforating wound with lacerated liver.
105	Wound (open), abdominal cavity with penetrating, perforating wound—spleen. Severe, all cases.
106	Wound (open), abdominal cavity with lacerated, penetrating, perforating wound with shattered kidney.
107	Wound (open), abdominal cavity with lacerated, penetrating, perforating wound with lacerated kidney, initially repaired, but subsequent nephrectomy.
108	Wound (open), abdominal cavity with lacerated, penetrating, perforating wound with shattered bladder.
109	Wound (open) abdominal cavity with lacerated, penetrating, perforating wound with lacerated bladder.
114	Wound (open), abdomen with pelvic fracture and penetrating, perforating wounds to multiple pelvic structures (male or female).
115	Wound (open), abdomen with pelvic fracture and penetrating, perforating wounds to pelvic colon only (male or female).
124	Wound (open), thigh lacerated, penetrating, perforating with fracture and nerve/vascular injury—limb salvageable.
131	Wound (open), lower leg with lacerated, penetrating, perforating with fracture and nerve and/or vascular injury—limb salvageable.
137	Wound (open), ankle, foot, toes with penetrating/perforating with fractures and nerve and/or vascular injury—limb salvageable.
138	Crush injury, lower extremity—limb not salvageable.
139	Crush injury, lower extremity—limb salvageable.
146	Amputation above knee, traumatic, complete, requiring hip disarticulation.
147	Amputation above the knee, traumatic, complete.

PATIENT CONDITION NUMBER

159	Multiple injury wound (MIW) of brain and chest with sucking chest wound and pneumohemothorax.
160	MIW of brain and abdomen with penetrating, perforating wound—colon.
161	MIW of brain and abdomen with penetrating, perforating wound—kidney involvement.
162	MIW of brain and abdomen with penetrating, perforating wound—bladder involvement.
163	MIW of brain and abdomen with shock and penetrating, perforating wound—spleen involvement.
164	MIW of brain and abdomen with shock and penetrating, perforating wound—liver.
165	MIW of brain and lower limbs requiring bilateral above-knee amputations.
166	MIW of chest with pneumohemothorax and abdomen with penetrating wound—colon.
167	MIW of chest with pneumohemothorax and abdomen with penetrating, perforating wound—kidney.
168	MIW of chest with pneumohemothorax and abdomen with perforating wound—bladder.
169	MIW of chest with pneumohemothorax and abdomen with penetrating, perforating wound—spleen.
170	MIW of chest with pneumohemothorax and abdomen with penetrating, perforating wound—liver.
171	MIW of chest (with pneumohemothorax and limbs with fracture and vascular injury).
172	MIW of abdomen with penetrating, perforating wound of colon and bladder.
173	MIW of abdomen with penetrating, perforating wound of colon and spleen.

PATIENT CONDITION NUMBER

174	MIW of abdomen with penetrating, perforating wound of colon and liver.
175	MIW of abdomen and limbs with penetrating, perforating wound of colon and open fracture and neurovascular wound of salvageable lower limb.
176	MIW of abdomen and pelvis with penetrating, perforating wound of liver and kidney.
177	MIW of abdomen and pelvis with penetrating, perforating wound of spleen and bladder.
178	MIW of abdomen, pelvis, limbs with fracture and neurovascular injury, limb salvageable, and penetrating wound—kidney.
179	MIW of abdomen, pelvis, limbs without fracture or neurovascular injury, and penetrating perforating wound—bladder.
180	MIW of abdomen and lower limbs with fracture and nerve injury with penetrating wound of spleen with full thickness burns to greater than 20% of total body surface area.
181	MIW of abdomen and limbs without fracture or nerve injury to limbs, with penetrating wound of liver.
182	MIW, chest, with pneumohemothorax, soft tissue injury to upper limbs, and penetrating wound of brain.
183	MIW of chest, upper limbs, and abdomen, with simple pneumohemothorax, soft tissue injury to upper limbs, and wound of colon.
184	MIW of chest with pneumohemothorax, pelvis and abdomen, with wound of colon and bladder.
185	MIW of abdomen and chest with multiple organ damage.
313	Wound (open), abdominal cavity with lacerated, penetrating, perforating wound. Also moderate lacerated kidney—kidney salvageable.